of the $(k+1)^{th}$ column, or the middle section of the $(k+1)^{th}$ column; and return conduits which connect an outlet of the condenser of the $(k+1)^{th}$ column to an inlet of the reboiler provided in the vicinity of the bottom of the k^{th} column, the bottom of the k^{th} column, or the middle of the k^{th} column.

- 13. An apparatus according to claim 12, wherein at least one of the distillation columns is a packed column in which structured packing (promoting-fluid-dispersion type structure packing or non-promoting-fluid-dispersion type structured packing) is used, or a wetted wall column.
- 14. An apparatus according to claim 13, comprising a hydrogenation device at a stage after the n^{th} column.
- 15. An apparatus according to claim 12, comprising: an isotope scrambler;

an extraction conduit which connects at least one section of said apparatus to an inlet of the isotope scrambler; and

- a return conduit which connects at least one section of said apparatus to an outlet of the isotope scrambler.
- 16. An apparatus according to claim 15, comprising a hydrogenation device at a stage after the nth column.

- 17. An apparatus according to claim 12, comprising a hydrogenation device at a stage after the nth column.
 - 18. A method of producing heavy oxygen water, comprising:
- obtaining an enriched material which has been enriched in at least one component from oxygen molecules which contain heavy oxygen isotopes by means of cryogenic distillation of an oxygen starting material which contains heavy oxygen isotopes using an apparatus according to claim 12.

obtaining water containing heavy oxygen water corresponding to said enriched material by adding hydrogen to said enriched material; and, thereafter,

further enriching said heavy oxygen water using an apparatus according to claim 12.

19. An apparatus for separation of a vapor or liquid mixtures comprising a plurality of components using a plurality of distillation columns (a first column to an n^{th} column) constructed in a cascade comprising:

introduction conduits which connect the bottom of a k^{th} column ($1 \le k \le (n-1)$) or an outlet of a reboiler provided in the vicinity of the bottom of the k^{th} column to the top of a $(k+1)^{th}$ column, an inlet of a condenser provided in the vicinity of the top of the $(k+1)^{th}$ column, or the middle section of the $(k+1)^{th}$ column; and

return conduits which connect the top of the $(k+1)^{th}$ column, or the inlet of the condenser provided in the vicinity of the top of the k^{th} column to the bottom of the k^{th} column, or the middle of the k^{th} column via a blower.

- 20. An apparatus according to claim 19, wherein at least one of the distillation columns is a packed column in which structured packing (promoting-fluid-dispersion type structure packing or non-promoting-fluid-dispersion type structured packing) is used, or a wetted wall column.
- 21. An apparatus according to claim 20, comprising a hydrogenation device at a stage after the nth column.
- 22. An apparatus according to claim 19, comprising: an isotope scrambler;

an extraction conduit which connects at least one section of said apparatus to an inlet of the isotope scrambler; and

a return conduit which connects at least one section of said apparatus to an outlet of the isotope scrambler.

- 23. An apparatus according to claim 22, comprising a hydrogenation device at a stage after the nth column.
- 24. An apparatus according to claim 19, comprising a hydrogenation device at a stage after the nth column.
 - 25. A method of producing heavy oxygen water, comprising:

obtaining an enriched material which has been enriched in at least one component from oxygen molecules which contain heavy oxygen isotopes by means of cryogenic distillation of an oxygen starting material which contains heavy oxygen isotopes using an apparatus according to claim 19.

obtaining water containing heavy oxygen water corresponding to said enriched material by adding hydrogen to said enriched material; and, thereafter,

further enriching said heavy oxygen water using an apparatus according to claim 19.

26. A method of producing heavy oxygen water, comprising:

obtaining an enriched material which has been enriched in at least one component from oxygen molecules which contain heavy oxygen isotopes by means of cryogenic distillation of an oxygen starting material which contains heavy oxygen isotopes using an apparatus according to claim 19.

obtaining water containing heavy oxygen water corresponding to said enriched material by adding hydrogen to said enriched material; and, thereafter,

further enriching said heavy oxygen water using an apparatus according to claim 19.

27. A method of producing heavy oxygen water, comprising:

obtaining an enriched material which has been enriched in at least one component from oxygen molecules which contain heavy oxygen isotopes by means of cryogenic distillation of an oxygen starting material which contains heavy oxygen isotopes using an apparatus according to claim 12.

obtaining water containing heavy oxygen water corresponding to said enriched material by adding hydrogen to said enriched material; and, thereafter,

further enriching said heavy oxygen water using an apparatus according to claim 12.

28. A method of enrichment of oxygen isotopes in which an oxygen starting material containing heavy oxygen isotopes is enriched by means of a cascade process using a plurality of distillation columns (a first column to an nth column) comprising:

supplying at least a part of a vapor from the bottom of a k^{th} $(1 \le k \le (n-1))$ column or an outlet of a reboiler provided in the vicinity of the bottom of the k^{th} column to the top of a $(k+1)^{th}$ column, an inlet of a condenser provided in the vicinity of the top of the $(k+1)^{th}$ column, or a middle section of the $(k+1)^{th}$ column;

returning at least a part of the liquid from the top of the $(k+1)^{th}$ column or an outlet of the condenser of the $(k+1)^{th}$ column to an inlet of a reboiler of the k^{th} column, the bottom of the k^{th} column, or the middle section of the k^{th} column;

carrying out enrichment in at least one type of oxygen molecule of ¹⁶O¹⁷O, ¹⁶O¹⁸O, ¹⁷O¹⁷O, ¹⁶O¹⁸O, and ¹⁸O¹⁸O, which contain heavy oxygen isotopes.

29. A method of enrichment of oxygen isotopes comprising subjecting an oxygen isotope-enriched material enriched by means of a method of enrichment according to claim 28 to oxygen isotope scrambling to obtain an enriched product having an even higher concentration of at least one type of said oxygen molecules which contain heavy oxygen isotopes.

30. A method of enrichment of oxygen isotopes comprising:

subjecting an oxygen isotope-enriched material enriched by means of a method of enrichment according to claim 28 to oxygen isotope scrambling to obtain an enriched product having an even higher concentration of at least one type of said oxygen molecules which contain heavy oxygen isotopes; and obtaining an enriched product having an even higher concentration of at least one type of said oxygen molecules which contain heavy oxygen isotopes by means of conducting a method of enrichment according to claim 28 again on said

31. A method of enrichment of oxygen isotopes in which an oxygen starting material containing heavy oxygen isotopes is enriched by means of a cascade process using a plurality of distillation columns (a first column to an nth column) comprising:

supplying at least a part of a vapor from the bottom of a k^{th} $(1 \le k \le (n-1))$ column or an outlet of a reboiler provided in the vicinity of the bottom of the k^{th} column to the top of a $(k+1)^{th}$ column, an inlet of a condenser provided in the vicinity of the top of the $(k+1)^{th}$ column, or a middle section of the $(k+1)^{th}$ column;

returning at least a part of the liquid from the top of the $(k+1)^{th}$ column or an outlet of the condenser of the $(k+1)^{th}$ column to an inlet of a reboiler of the k^{th} column, the bottom of the k^{th} column, or the middle section of the k^{th} column;

carrying out enrichment in at least one type of oxygen molecule of ¹⁶O¹⁷O, ¹⁶O¹⁸O, ¹⁷O¹⁷O, ¹⁷O¹⁸O, and ¹⁸O¹⁸O, which contain heavy oxygen isotopes.

enriched material.

- 32. A method of enrichment of oxygen isotopes comprising subjecting an oxygen isotope-enriched material enriched by means of a method of enrichment according to claim 31 to oxygen isotope scrambling to obtain an enriched product having an even higher concentration of at least one type of said oxygen molecules which contain heavy oxygen isotopes.
- 33. A method of enrichment of oxygen isotopes comprising:
 subjecting an oxygen isotope-enriched material enriched by means of a method of enrichment according to claim 31 to oxygen isotope scrambling to obtain an enriched product having an even higher concentration of at least one type of said oxygen molecules which contain heavy oxygen isotopes; and
 obtaining an enriched product having an even higher concentration of at least one type of said oxygen molecules which contain heavy oxygen isotopes by means of conducting a method of enrichment according to claim 31 again on said enriched material.
- 34. A method of enrichment of oxygen isotopes comprising:

 subjecting an oxygen isotope-enriched material enriched by means of a method of enrichment according to claim 31 to oxygen isotope scrambling to obtain an enriched product having an even higher concentration of at least one type of said oxygen molecules which contain heavy oxygen isotopes; and obtaining an enriched product having an even higher concentration of at least one type of said oxygen molecules which contain heavy oxygen isotopes by means of conducting a

method of enrichment according to claim 28 again on said enriched material.

35. A method of enrichment of oxygen isotopes comprising:

subjecting an oxygen isotope-enriched material enriched by means of a method of enrichment according to claim 28 to oxygen isotope scrambling to obtain an enriched product having an even higher concentration of at least one type of said oxygen molecules which contain heavy oxygen isotopes; and

obtaining an enriched product having an even higher concentration of at least one type of said oxygen molecules which contain heavy oxygen isotopes by means of conducting a method of enrichment according to claim 31 again on said enriched material.

36. A method of enrichment of oxygen water in which a water starting material containing heavy oxygen water is enriched by means of a cascade process using a plurality of distillation columns comprising:

supplying at least a part of the water vapor from the bottom of a k^{th} ($1 \le k \le (n-1)$) column or an outlet of a reboiler provided in the vicinity of the bottom of the k^{th} column to the top of a $(k+1)^{th}$ column, an inlet of a condenser provided in the vicinity of the top of the $(k+1)^{th}$ column, or a middle section of the $(k+1)^{th}$ column;

introducing at least a part of the liquid from the top of the $(k+1)^{th}$ column or an outlet of the condenser of the $(k+1)^{th}$ column to an inlet of a reboiler of the k^{th} column, the bottom of the k^{th} column, or the middle section of the k^{th} column; and, thereby

carrying out enrichment in at least one type of heavy oxygen water of H2,17O, H2,18O,

D₂, ¹⁷O, D₂, ¹⁸O, DH¹⁷O, and DH¹⁸O, which contain heavy oxygen isotopes.--

Respectfully submitted,

KOLISCH, HARTWELL, DICKINSON, McCORMACK & HEUSER

Charles H. DeVoe

Customer No. 23581

Registration No. 37,305

Attorney for Applicants

520 S.W. Yamhill Street, Suite 200

Portland, Oregon 97204

Telephone: (503) 224-6655

Facsimile: (503) 295-6679

"Express Mail" Mailing Label No. EL684728741US Date of Deposit - October 11, 2000

I hereby certify that the attached correspondence is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

(Signature of Person Depositing)